



Republic of the Philippines
CEBU NORMAL UNIVERSITY
Osmeña Blvd. Cebu City, 6000 Philippines

Office of the Bids and Awards Committee

Telephone No.: (+63 32) 254 1452 local 141 or 125
Email: ajsancajas95@yahoo.com; cnubacsec@gmail.com

Procurement : Completion of Library Modernization (Provision of State-of-the-Art Facilities and Equipment)
Bid No: No. 21-05-249
Total ABC : PHP 14, 778, 565.00
Location : Cebu Normal University
Osmeña Boulevard, Cebu City
Owner : Cebu Normal University
Subject : Bid Bulletin No. 1
Date : June 25, 2021

This Bid Bulletin is to clarify the requirements for this procurement as reflected in the Bidding Documents.

From	To
<p>LOT 1: Item No. 1 – 4 Units Vertical Tripod Turnstile, RFID tags The body is made of brushed stainless steel which is robust, rigid anti-rust and durable. Tripod turnstile is durable for both indoor and outdoor settings. It can be integrated with any kind of access controller system (e.g. RFID device, Push button, Fingerprint and Biometric device). In case of emergency, the turnstile horizontal arms will drop down to allow free passage when power off. IP-based Door Access Control Panel with time and attendance software 26-bit Wiegand, Proximity Card reader</p>	<p>LOT 1: Item No. 1 – 4 Units Vertical Tripod Turnstile, RFID tags The body is made of brushed stainless steel which is robust, rigid anti-rust and durable. Tripod turnstile is durable for both indoor and outdoor settings. It can be integrated with any kind of access controller system (e.g. RFID device, Push button, Fingerprint and Biometric device). In case of emergency, the turnstile horizontal arms will drop down to allow free passage when power off. IP-based Door Access Control Panel with time and attendance software 26-bit Wiegand, Proximity Card reader Separate report for In and out of students. Two (2) turnstiles for entrance and Two (2) for exit.</p>
<p>Item No. 2 – 10 Units Access Door Control Panel, Metal Case, Power Supply, DC12V/3A, Available to charge for battery back-up, Diode for lock, Key for Metal Case, Access software for control panel user manual, 3.35 - 3.55kg., 345(L) x</p>	<p>Item No. 2 – 10 Units Access Door Control Panel, Metal Case, Power Supply, DC12V/3A, Available to charge for battery back-up, Diode for lock, Key for Metal Case, Access software for control panel user manual, 3.35 - 3.55kg., 345(L) x</p>

70(H) x 280 (W) mm	70(H) x 280 (W) mm Door Access must have a centralized control that goes through the network.
<p>LOT 2: Item No. 2 – 3 Units NVR 16 Ch. H.265 4K Network Video Recorder</p> <ul style="list-style-type: none"> • Up to 16 channel IP camera input • H.265/H.264 dual codec decoding • Up to 8Mp resolution preview and playback • Max 200Mbps incoming bandwidth • Support 2 SATA HDDs up to 12TB, 2 USB(1 USB3.0) • HDMI / VGA simultaneous video output • Support Multi-brand network cameras • ONVIF Version 2.4 conformance • Mobile Software • CMS Software <p>Bluetooth Bluetooth 4.0 wireless technology Ethernet 10/100BASE-T ethernet</p>	<p>LOT 2: Item No. 2 – 3 Units NVR 16 Ch. H.265 4K Network Video Recorder</p> <ul style="list-style-type: none"> • Up to 16 channel IP camera input • H.265/H.264 dual codec decoding • Up to 8Mp resolution preview and playback •Max 200Mbps incoming bandwidth • Support 2 SATA HDDs up to 12TB, 2 USB(1 USB3.0) • HDMI / VGA simultaneous video output • Support Multi-brand network cameras • ONVIF Version 2.4 conformance • Mobile Software • CMS Software <p>Bluetooth Bluetooth 4.0 wireless technology Ethernet 10/100BASE-T Ethernet Must be Built in NVR POE</p>
<p>Item No. 4 – 6 Units HDD Seagate SkyHawk 4TB Surveillance Hard Drive 64MB Cache SATA 6.0Gb/s 3.5" Internal Hard Drive ST4000VX007</p>	<p>Item No. 4 – 6 Units HDD SkyHawk 4TB Surveillance Hard Drive 64MB Cache SATA 6.0Gb/s 3.5" Internal Hard Drive ST4000VX007</p>
<p>LOT 3: Item No. 4 – 12 Sets Indoor Access Point: High Density Access Points 802.11ac Wav 2; 4x4:4SS; Int Ant: A Reg Dom (Config) CMX Cloud - Connect with Presence Analytics 1Yr License 802.11n AP Low Profile Mounting Bracket (Default) Ceiling Grid Clip for Aironet Aps - Recessed Mount (Default) Cisco 1850 Series Mobility Express Software Image</p>	<p>LOT 3: Item No. 4 – 12 Sets Indoor Access Point: High Density Access Points 802.11ac Wav 2; 4x4:4SS; Int Ant: A Reg Dom (Config) CMX Cloud - Connect with Presence Analytics 1Yr License 802.11n AP Low Profile Mounting Bracket (Default) Ceiling Grid Clip for Aps – Recessed Mount (Default) Mobility Express Software Image</p>

Prepared by:



ANN S. ANCAJAS
BAC - Secretariat

Noted by:



Dr. RODIN M. PASPASAN
BAC Chair